



Trust-Implant (II)[®]

(levonorgestrel subdermal
contraceptive implant)



- *Low cost,*
- *Safe, and*
- *Effective Contraceptive implant*
- *Now available with a disposable Trocar*



ትረስትኪምፕላንት(2)

በከንድ የሚቀበሩ የወሲድ መከላከያ ዘዴዎች
ዋጋው በግማሽ ያነሱ ነው።



- በዝቅተኛ ዋጋ
- እስተማማኝ
- ውጤታማ የወሲድ መከላከያ
- እሁን በቀላሉ የሚገኝ ሲሆን ሶስንድ ጊዜ እገልግሎት
ብቻ ከሚውሰው የማስገቢያው መርጫ ጋር አብሮ የሚሰጥ ነው።



Trust-Implant (II)[®]

Subdermal contraceptive implant

Trust-Implant is a subdermal contraceptive implant manufactured in China by Shanghai Dahuna Pharmaceutical Co.,Ltd. The implant is composed of two thin, flexible rods made of medical grade silicon, each containing 75mg levonorgestrel (a synthetic progestin). Each rod consists of the drug core and an external medical silastic tube sealed at both ends with medical adhesive. The implant is inserted under the skin in the upper arm.

Trust-Implant has the same mechanism of action as Jadelle. Like other contraceptive implants, Trust-implant is one of the most highly effective contraceptive methods, and has an annual pregnancy rate below 1%. The implants are currently labeled for four years of use

Trust-Implant (II)[®]

- Provide highly effective, long-acting, and 4 years of pregnancy protection
- Each *Trust-Implant (II)[®]* has a disposable trocar for insertion
- Two rod system with 75 mg of levonorgestrel in each rod
- Made of medical grade silastic
- Dimensions: 2.4 mm x 44 mm
- Manufactured by Shanghai Dahua Pharmaceuticals co, Ltd
- Although insertion and removal require a trained provider, both procedures are done quickly
- Contraceptive protection is immediately reversible upon implant removal; implants have no impact on long-term fertility

ትረሰት ኢምፕላንት (III)[®]

(ሊፕሮጀስትሪል) ከቆዳ ስር የሚቀበር የወሊድ መቆጣጠሪያ ዝቅተኛ ዋጋ አስተማማኝ እና ሙጢታማ በቆዳ ስር የሚቀበር የወሊድ መቆጣጠሪያ

በቆዳ ስር የሚቀበር የወሊድ መቆጣጠሪያ

ትረሰት ኢምፕላንት ሻንግሀይ ዳዕዓና ፋርማሲውትካል ማኅበር በሚባል የቻይና ከባንያ የሚመረት ሲሆን ከ ሲሊኮን የተሰሩ ሁለት ቀዳሾችን ተጣጣፈ ዘንጎች የያዘ ነው። ሁለቱም ዘንጎች እያንዳንዳቸው 75 ሚ.ግ ሊቮንጎርትሪል ይይዛሉ። ዘንጎቹ መድሀኒቱን በውስጣቸው የያዙና ከላይ በ ሲሳቲክ ትቦ የተሸፈኑ ሲሆን ትቦው በሁለቱም ሜሩ በኩል በማጣበቂያ የተጣበቀ ነው። ትረሰት ኢምፕላንት በከንድ ላይ በቆዳ ስር የሚቀበር የወሊድ መቆጣጠሪያ ነው።

ትረሰት ኢምፕላንት ወሊድን የመቆጣጠሪያ መንገዱ ልክ እንደ ጃዴል አይነት ሲሆን እንደሌሎቹ በቆዳ ስር የሚቀበሩ የወሊድ መቆጣጠሪያዎች ትረሰት ኢምፕላንት እጅግ ሙጢታማ ነው። ከሚጠቀሙት ሴቶች በአመት 1% ቢታች በሚሆኑት ላይ ብቻ እርግዝና ይከሰታል። ትረሰት ኢምፕላንት ለ4 አመት እርግዝና ይከላከላል።

ትረሰት ኢምፕላንት (III)[®]

- እጅግ አስተማማኝ፣ ለረጅም ጊዜ የሚያገለግል እና ለ4 ዓመት እርግዝናን ይከላከላል።
- እያንዳንዱ ትረሰት ኢምፕላንት ለአንድ ጊዜ የሚሆን ከቆዳ ስር ማስገቢያ መሳሪያ አለው።
- እያንዳንዳቸው 75 ሚ.ግ ሊቮንጎርትሪል የያዙ 2 ዘንጎች አሉት።
- ለሀክምና የሚያገለግል ጥራት ባለው ሲሳቲክ የተሰሩ
- መጠኑ 2.5 ሚ.ሜ x 44 ሚ.ሜ
- በሻንግሀይ ዳዕዓና ፋርማሲውትካል ማኅበር የተሰሩ
- ምንም እንኳን በቆዳ ስር ለመቅበርና ለማስወገድ የሀክምና ባለሙያ ቢያስፈልግም ሁለቱም ጉዳዮች ጊዜ የሚይዘዱ ስራዎች ናቸው።
- ተቀባሪው የወሊድ መከላከያ ከቆዳ ስር በተወገደ ጊዜ ወዲያውኑ እርግዝና የመከላከል አቅሙን ያጣል። ተቀባሪው የወሊድ መከላከያ በዘላቂ የመውለድ ችሎታ ላይ ምንም አይነት ተጽእኖ የለውም።

መንደርደሪያ

ትረሰት ኢምፕላንት ፕሮጀስቲቭን የያዘ የክብሪት እንጨት መጠን ያለው በከንድ ቆዳ ስር ተቀብሮ ለ4 ዓመታት ፕሮጀስቲቭን ቀስ በቀስ የሚለቅ የወሊድ መቆጣጠሪያ ነው። ወሊድን የመቆጣጠሪያ መንገዱ በሴት የመራቢያ አካል ውስጥ የሚገኘውን ፊላሽ በማወፈር (የወንድ የዘር ፍሬን እንደልቡ ተንቀሳቅሶ የሴቲቷ የዘር ፍሬ ጋር እንዳይደርስ በማድረግ) እና የሴት የዘር ፍሬ እንዳይለቀቅ በማድረግ ነው። ዲኬቲ ኢትዮጵያ ይህንን ሁለት ዘንግ ያለው ትረሰት ኢምፕላንት የወሊድ መቆጣጠሪያ አቅርቧል።

Background

Trust-Implant (II)® is matchstick-sized rods that contain progesterin. Implanted beneath the skin of a woman's upper arm, the progesterin is slowly released for 4 years. **Trust-Implant (II)**® interrupt fertility by thickening cervical mucus (mechanically preventing the sperm from accessing the ovum) and through hormonal effects that prevent ovulation in about half of menstrual cycles. DKT Ethiopia is introducing the new two-rod implant systems **Trust-Implant (II)**®.

Implant types: The most common contraceptive implants include:

- **Jadelle:** 2 rods, provides contraception for 5 years
- **Implanon:** 1 rod, provides contraception for 3 years
- **Trust-Implant (II):** 2 rods, provides contraception for 4 years

Method characteristics: **Trust-Implant (II)**® are highly effective at preventing pregnancy, long-acting, totally user-independent, and completely and immediately reversible upon removal. Unlike some other hormonal forms of contraception, implants can be used by cigarette smokers, women who have risk factors for cardiovascular disease (including high blood pressure), and women who are breastfeeding (after 6 weeks postpartum).

Insertion requires a minor surgical procedure by a trained practitioner using appropriate aseptic technique in a sterile surgical environment. As with other hormonal contraceptive methods, some women experience side effects such as headaches, breast tenderness, mood changes, nausea, and unpredictable vaginal bleeding—all of which usually decrease over time. Unpredictable vaginal bleeding associated with the use of implants sometimes leads users to have the implants removed, so appropriate counseling is essential to reduce discontinuation. **Trust-Implant (II)**® is inserted in the same way as **Jadelle**.

Health benefits: Unlike some other hormonal forms of contraception, **Trust-Implant (II)**® do not contain estrogen, so women can safely breastfeed with an implant in place. Because implants may cause menstrual bleeding to be lighter, less frequent, or absent, some users may have a decreased risk of iron-deficiency anemia. Users also gain protection against health risks associated with pregnancy, pelvic inflammatory disease, and ectopic pregnancy. Implants have no effect on sexual function.

በቆዳ ስር የሚቀበሩ የወሊድ መቆጣጠሪያዎች

- ጃዴሌ - ሁለት ዘንጎች፣ ለአምስት አመት እርግዝናን ይከላከላሉ።
- ኢምፕላንት - አንድ ዘንግ፣ እርግዝናን ለ3 አመት ይከላከላል።
- ትረስት ኢምፕላንት - 2 ዘንጎች፣ እርግዝናን ለ4 አመት ይከላከላል።

የትረስት ኢምፕላንት ባህሪዎች

ትረስት ኢምፕላንት እጅግ ውጤታማ፣ ለረጅም ጊዜ የሚያገለግል፣ በተጠቃሚው አይነት ያልተወሰነ ከቆዳ ስር ከተወገደ በኋላ ወዲያው የመከላከል አቅሙን የሚያጣ በቆዳ ስር የሚቀበር የወሊድ መቆጣጠሪያ ነው። ትረስት ኢምፕላንት ከሌሎች የወሊድ መቆጣጠሪያዎች የሚለየው

- በሲጋራ እሜሽ ሴቶች ጥቅም ላይ መዋል መቻሉ
- ለልብና ለደም ቧንቧ በሽታዎች (ደም ግፊትን ጨምሮ) የመያዝ እድላቸው ሰፊ በሆኑ ሴቶች ጥቅም ላይ መዋል መቻሉ
- በሚያጠቁ ሴቶች (ስድስት ሳምንት ከወሊድ በኋላ) ጥቅም ላይ መዋል መቻሉ

ትረስት ኢምፕላንት በቆዳ ስር ለማስገባት ቀላል ቀደ ጥገና የሚያስፈልግ ሲሆን ቀደ ጥገና በባለሙያ መካከል አለበት። ይህ የሚከናወነበት ቦታ ንጹህና ከበሽታ አምጪ ተሞህሶን የጸዳ መሆን አለበት። እንደሌሎቹ የወሊድ መቆጣጠሪያዎች ሁሉ ትረስት ኢምፕላንት በአንዳንድ ሴቶች ላይ እራስ ምታት፣ የጡት መጠጠር፣ የባህሪ ለውጥ፣ ማቅለሽልሽ እና ያልተጠበቀ ደም በብልት መፍሰስ ሊያስከትል ይችላል። እነዚህ የጎንዮሽ ጉዳቶች በጊዜ በኋላ እየቀነሱ የሚመጡ ይሆናል። ያልተጠበቀ ደም በብልት መፍሰስ በሚያጋጥምበት ጊዜ አንዳንድ ተጠቃሚዎች የወሊድ መቆጣጣሪያውን እንዲቋረጥ ሊያደርጉ ይችላሉ። ስለዚህ እነዚህ አይነት ሴቶችን አግባብ ያለው ምክር በመስጠት የወሊድ መቆጣጠሪያው እንዳይቋረጥ ማድረግ ያስፈልጋል። ትረስት ኢምፕላንት በቆዳ ስር የሚቀበረው ልክ እንደ ጃዴሌ ነው።

ትረስት ኢምፕላንት የሚሰጣቸው የጤና ጥቅሞች

ትረስት ኢምፕላንት እንደሌሎቹ የወሊድ መቆጣጠሪያዎች አስትሮጅንን በውስጡ አልያዘም። ስለዚህ የሚያጠቁ ሴቶች ሊጠቀሙት ይችላሉ። ትረስት ኢምፕላንት የወር እባባ ቶሎ ቶሎ እንዳይመጣ ወይም ጨርሶ እንዲቀር ስለሚያደርግ አንዳንድ ተጠቃሚዎች ከአይረን እጥረት ለሚመጣ የደም ማነስ የመጋለጥ እድላቸው የጠበቀ ይሆናል። ከዚህ በተጨማሪ ከእርግዝና ጋር ተያይዞ የሚመጡ የጤና ችግሮችን እና ከማህሪን ውጭ የሚያጋጥም እርግዝና ትረስት ኢምፕላንት ይከላከላል። ትረስት ኢምፕላንት የግብረ ስጋ ግንኙነት ላይ ምንም አይነት ተጽእኖ አያመጣም።

Conditions that may make use of Trust-Implant (II)® Unsafe: In most cases, women with the following conditions should be advised to use a different form of contraception:

- Serious liver disease, such as liver tumor, severe cirrhosis, or active hepatitis
- Current deep venous thrombosis or pulmonary embolus
- Unexplained or unusual vaginal bleeding that requires evaluation
- Current use of antiseizure drugs (barbiturates, carbamazepine, oxcarbazepine, phenytoin, primidone, topiramate) or rifampicin
- Breast cancer (currently or in the past)

In most cases, breastfeeding women who are fewer than six weeks postpartum should delay initiation of contraceptive implant use.

Sexually transmitted infections and HIV/AIDS: Trust-Implant (II)® provide no protection against STIs and HIV/AIDS. A male or female condom should be used to decrease the risk of transmission. Women with HIV/AIDS can use Trust-Implant (II)®, but should also use a barrier method to decrease the risk of disease transmission.

Programmatic Considerations

Offering Trust-Implant (II)® as a contraceptive choice requires that trained practitioners perform the minor procedures necessary to either insert or remove the device in a reliably aseptic environment. Counseling should also be made available to potential recipients, so that they clearly understand implant insertion and removal procedures, the risks and benefits of implant use, as well as what to expect in terms of side effects, particularly bleeding changes.

Trust-Implant (II)® is cost effective when used long term. The procurement price is less than 1/2 of other implant

Disposable Trocar

A disposable trocar for Trust-Implant (II)® Insertions is available. The disposable trocar eliminates the need to clean the trocar by autoclaving after each use and facilitates service delivery in decentralized settings where access to electricity cannot always be ensured.

ትረሰት እያምጥላንትን ከመጠቀም የሚከላከሉ ሁኔታዎች

- እነዚህ ሁኔታዎች ያጋጠሟቸው ሴቶች ሌላ የወሊድ መቆጣጠሪያ እንዲጠቀሙ ይመከራሉ።
- የጉበት እጠ፣ የጠና ሲሮሲስ፣ የጉበት በሽታን የመሳሰሉት አደገኛ የጉበት ህመሞች
 - የደም መርጋት
 - መመርመር ያለበት ምንጭ ያልታወቀ ወይም ያልተለመደ ከብልት የሚፈሰ ደም
 - በቅርብ ጊዜ የሚከተሉትን መድሀኒቶች መድሀኒት የተጠቀሙ ከዘያን (ባርቢቶሬትስ፣ ካርማዘፒን፣ ኦክስካርማዘፒን፣ ፊኒቶይን፣ ፕሪሚዲን፣ ቶፒራሚት) ወይም ሪናምፒሲን
 - የጡት ካንሰር (አሁን ወይንም ከዚህ በፊት ያለባቸው)

ከወሊዱ ከፍ ሳምንት በታች የሆናቸውና ጡት እያጠቡ ያሉ ሴቶች ትረሰት እያምጥላንት ለመጠቀም ጊዜው እስኪደርስ መታገስ አለባቸው።

የአባላዘር በሽታዎችና ኤች አይ ቪ ኤድስ

ትረሰት እያምጥላንት የአባላዘር በሽታዎችንና ኤች አይ ቪ ኤድስን አይከላከልም። ስለዚህ እነዚህ በሽታዎችን ለመከላከል የወንድ ወይንም የሴት ኮንዶምችን መጠቀም ያስፈልጋል። ኤች አይ ቪ ኤድስ ያለባቸው ሴቶች ትረሰት እያምጥላንትን መጠቀም ይችላሉ። ነገር ግን ከትረሰት እያምጥላንት በተጨማሪ በሽታው እንዳይተላለፍ ኮንዶምችን መጠቀም ያስፈልጋል።

ፕሮግራሙን ለመጀመር መታሰብ ያለባቸው ነገሮች

ትረሰት እያምጥላንት ለተጠቃሚ በሚሰጥበት ወቅት ከቆዳ ስር ለማስገባትና ለማውጣት ባለሙያና ገጽቧ የሆነ የቀላል ቀዶ ጥገና ቦታ ያስፈልጋል። ትረሰት እያምጥላንትን ለጠቀሙ ለሚችሉ ሴቶች ምክር መስጠት ያስፈልጋል። ይህ ምክር የትረሰት እያምጥላንትን ያጠቃቀም ሁኔታ (ማለትም ከቆዳ ስር ማስገባትና ማውጣት)፣ ጥቅምና ጉዳቱን እንዲሁም የጉንዩኖች ጉዳቶችን (በተለይ የወር እበባ ኡደት ላይ ለውጦችን) በደንብ እንዲረዱት ያደርጋል።

እንደ ዋጋ እወጣጡ ሆኖ ትረሰት እያምጥላንት ለረጅም ጊዜ ጥቅም ላይ ሲውል ወጪ ቆጣቢ የወሊድ መቆጣጠሪያ ነው። ይህ የመከላከያ ዘዴ ከሌሎች በከንድ ከሚቀበሩ የወሊድ መከላከያ ዘዴዎች ዋጋው በግማሽ ያነሰ ነው።

ለአንድ ጊዜ ብቻ የሚያገለግል ከቆዳ ስር ማስገቢያ መሣሪያ

ትረሰት እያምጥላንት ካስገባን በኋላ የሚጣል ከቆዳ ስር የማስገቢያ መሣሪያ አለው። ይህ ከጥቅም በኋላ የሚጣል መሣሪያ አንድ ጊዜ ከተጠቀሙ በኋላ በአውቶክሊቭ የማጽዳት ግዴታን ያስወገዳል። እንዲሁም ባልተማከሉ ቦታዎች ላይ ወይም መብራት እንደልብ የማይገኝባቸው ቦታዎች ላይ የተሻለ እገልግሎት ይሰጣል።