

## IN CASE OF:

### FEVER:

Apply damp cloth to the forehead




### Chills:

Cover with a blanket



### ATTENTION:

If fever and chills continue for 24 hours, the mother should be taken to a health center for further treatment



## WHAT IS MISO?

MISO is a drug that can prevent heavy bleeding after birth. Prevention of heavy bleeding (postpartum hemorrhage) can save a mother's life.

It is recommended to give birth in the health center. If you give birth at home, MISO prevents heavy bleeding in the majority of cases. Follow these steps to correctly use MISO:

1. The pregnant woman should not take MISO tablets before giving birth.
2. As time of delivery nears keep MISO close by
3. Immediately after birth, confirm that the mother doesn't have another baby in the uterus.
4. If there is no second baby, the mother should immediately take 3 tablets of MISO before the delivery of placenta.

**Attention:** After taking MISO, if the mother continues to bleed heavily (2 lesos soaked with blood) she should be taken urgently to the nearest health center. At the health center she will receive medical treatment to stop bleeding.

**VSI**  
Venture Strategies Innovations

# MISO



Use MISO after birth to protect the mother's life.



## How to take miso:



1. The pregnant women should not take the MISO tablets before giving birth.



2. At time of delivery, always keep miso close by.



3. Right after the birth, confirm that the mother doesn't have another baby in the uterus.



4. If there is no second baby, the mother should immediately take 3 tablets of MISO before the delivery of the placenta

## Attention:



After taking MISO, if the mother continues to bleed heavily (2 lessos soaked with blood), she should be taken urgently to the nearest health center.



At the health center, she will receive medical treatment to stop the bleeding.